WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Friday, September 21, 2007

Hide?	Set Name	Query	Hit Count
		DB=USPT; PLUR=YES; OP=OR	
☐	L3	l1 and ergoline	0
☐	L2	L1 and cabergoline	0
☐	L1	546/75	52

END OF SEARCH HISTORY

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1612RXD

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page for STN Seminar Schedule - N. America
NEWS 2	JUL 02	LMEDLINE coverage updated
NEWS 3	JUL 02	SCISEARCH enhanced with complete author names
NEWS 4	JUL 02	CHEMCATS accession numbers revised
NEWS 5	JUL 02	CA/CAplus enhanced with utility model patents from China
NEWS 6	JUL 16	CAplus enhanced with French and German abstracts
NEWS 7	JUL 18	CA/CAplus patent coverage enhanced
NEWS 8	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS 9	JUL 30	USGENE now available on STN
NEWS 10	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS 11	AUG 06	BEILSTEIN updated with new compounds
NEWS 12	AUG 06	FSTA enhanced with new thesaurus edition
NEWS 13	AUG 13	CA/CAplus enhanced with additional kind codes for granted patents
NEWS 14	AUG 20	CA/CAplus enhanced with CAS indexing in pre-1907 records
NEWS 15	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS 16	AUG 27	USPATOLD now available on STN
NEWS 17	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS 18	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS 19	SEP 13	FORIS renamed to SOFIS
NEWS 20	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS 21	SEP 17	CA/CAplus enhanced with printed CA page images from 1967-1998
NEWS 22	SEP 17	CAplus coverage extended to include traditional medicine patents

NEWS EXPRESS 19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation

of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:13:59 ON 21 SEP 2007

=> file registry

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.42	0.42

FILE 'REGISTRY' ENTERED AT 14:14:59 ON 21 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 SEP 2007 HIGHEST RN 947666-94-6
DICTIONARY FILE UPDATES: 20 SEP 2007 HIGHEST RN 947666-94-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> s cagegoline/cn
L1 0 CAGEGOLINE/CN

=> s cabergoline/cn
L2 1 CABERGOLINE/CN

=> d

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2007 ACS on STN
RN 81409-90-7 REGISTRY
ED Entered STN: 16 Nov 1984
CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propenyl)-, (8β)- (9CI)
OTHER NAMES:
CN Cabaser
CN Cabergoline
CN Dostinex
CN Galastop
CN Sogilen

FS STEREOSEARCH
MF C26 H37 N5 O2
CI COM
LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSCHEM, DDFU, DRUGU, EMBASE, IMSCOSEARCH, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK*, PATDPASPC, PHAR, PROMT, PROUSDDR, PS, RTECS*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU
(*File contains numerically searchable property data)
Other Sources: WHO

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

418 REFERENCES IN FILE CA (1907 TO DATE)
7 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
419 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	12.30	12.72

FILE 'CAPLUS' ENTERED AT 14:15:32 ON 21 SEP 2007

FILE COVERS 1907 - 21 Sep 2007 VOL 147 ISS 14
FILE LAST UPDATED: 20 Sep 2007 (20070920/ED)


```
=> s l2
L3          419 L2

=> s l3 and heptane
          62069 HEPTANE
           1222 HEPTANES
          62692 HEPTANE
                  (HEPTANE OR HEPTANES)
L4            8 L3 AND HEPTANE

=> d abs hitstr fbib 1-8
```

L4 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB A method of preparing cabergoline Form I, comprising forming a solvate including cabergoline and a p-disubstituted benzene of formula (A) or 1,3,5-trimethylbenzene and obtaining cabergoline Form I from the solvate. Another aspect of the present invention provides a method for preparing cabergoline Form I comprising dissolving cabergoline in p-disubstituted benzene or 1,3,5-trimethylbenzene and recovering the cabergoline Form I polymorph, suitably by direct crystallization of Form I or by recovery of a solvate which can be converted to Form I. Another aspect of the present invention provides a novel cabergoline polymorph designated cabergoline Form FB and a method of preparing said polymorph by dissolving or forming a solvate of cabergoline in fluorobenzene and recovering cabergoline Form FB.

IT 81409-90-7, Cabergoline
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); RCT (Reactant); THU (Therapeutic use); BIOL (Biological study); PROC (Process); RACT (Reactant or reagent); USES (Uses)
(preparation of cabergoline in different crystal forms from various solvents)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2006:1012463 CAPLUS
DN 145:383503
TI Preparation of cabergoline in different crystal forms from various solvents
IN Greenwood, Alan Kenneth; Mchattie, Derek; Bhatarah, Parveen; Aloui, Mahmoud
PA UK
SO U.S. Pat. Appl. Publ., 23pp., Cont.-in-part of U.S. Ser. No. 100,934. CODEN: USXXCO
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	US 2006217408	A1	20060928	US 2005-268118		20051107
				GB 2005-5965	A	20050323
				US 2005-100934	A2	20050407
				GB 2005-15430	A	20050727
	US 2006217555	A1	20060928	US 2005-100934		20050407
	US 7238810	B2	20070703			
				GB 2005-5965	A	20050323
	WO 2007012846	A1	20070201	WO 2006-GB2784		20060727
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW					
	RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM					
				GB 2005-15430	A	20050727

PATENT FAMILY INFORMATION:

FAN 2006:1012462

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006100492	A2	20060928	WO 2006-GB1068	20060323
	WO 2006100492	A3	20070104		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

GB 2005-5965 A 20050323
GB 2005-15430 A 20050727

WO 2007012846 A1 20070201 WO 2006-GB2784 20060727

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

GB 2005-15430 A 20050727

L4 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB A method of preparing cabergoline Form I, comprising forming a solvate including cabergoline and a p-disubstituted benzene or 1,3,5-trimethylbenzene and obtaining cabergoline Form I from the solvate. Another aspect of the present invention provides a method for preparing cabergoline Form I comprising dissolving cabergoline in p-disubstituted benzene or 1,3,5-trimethylbenzene and recovering the cabergoline Form I polymorph, suitably by direct crystallization of Form I or by recovery of a solvate which can be converted to Form I. Another aspect of the present invention provides a novel cabergoline polymorph designated cabergoline Form FB and a method of preparing said polymorph by dissolving or forming a solvate of cabergoline in fluorobenzene and recovering cabergoline Form FB.

IT 81409-90-7, Cabergoline
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); RCT (Reactant); THU (Therapeutic use); BIOL (Biological study); PROC (Process); RACT (Reactant or reagent); USES (Uses)
(preparation of cabergoline in different crystal forms from various solvents)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2006:1012462 CAPLUS
DN 145:383502
TI Preparation of cabergoline in different crystal forms from various solvents
IN Greenwood, Alan, Kenneth; Mchattie, Derek; Bhatarah, Parveen; Aloui, Mahmoud
PA Resolution Chemicals Limited, UK
SO PCT Int. Appl., 44pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006100492	A2	20060928	WO 2006-GB1068	20060323
	WO 2006100492	A3	20070104		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

				GB 2005-5965	A 20050323
				GB 2005-15430	A 20050727
	WO 2007012846	A1	20070201	WO 2006-GB2784	20060727

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,

GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

GB 2005-15430 A 20050727

PATENT FAMILY INFORMATION:

FAN 2006:1012463

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2006217408	A1	20060928	US 2005-268118	20051107
				GB 2005-5965 A	20050323
				US 2005-100934 A2	20050407
				GB 2005-15430 A	20050727
	US 2006217555	A1	20060928	US 2005-100934	20050407
	US 7238810	B2	20070703		
				GB 2005-5965 A	20050323
	WO 2007012846	A1	20070201	WO 2006-GB2784	20060727

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

GB 2005-15430 A 20050727

L4 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

GI



I

AB The present invention discloses a method for preparing cabergoline form 1 I by combining cabergoline and a solvent comprising ethylbenzene to form a solvate and obtaining form 1 from the solvate. Also disclosed is a method for preparing cabergoline form 1 by combining cabergoline and a first solvent to form a solution and addnl. including a second solvent to the solution, followed by crystallization to form cabergoline form 1. Further disclosed is a

solvate form of cabergoline comprising cabergoline and ethylbenzene and, optionally, n-heptane.

IT 81409-90-7P, Cabergoline
RL: PUR (Purification or recovery); PREP (Preparation)
(preparation of cabergoline from solvates)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2005:1168808 CAPLUS

DN 143:422511

TI Preparation of cabergoline and its solvate

IN Greenwood, Alan; Mchattie, Derek; Bhatarah, Parveen; Gamble, Mark

PA Resolution Chemicals Limited, UK

SO Eur. Pat. Appl., 9 pp.
CODEN: EPXXDW

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	EP 1591445	A1	20051102	EP 2005-252709		20050429
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, BA, HR, IS, YU					
				GB 2004-9785	A	20040430
	US 2005245560	A1	20051103	US 2005-60991		20050218
	US 7186837	B2	20070306			
				GB 2004-9785	A	20040430
	AU 2005238276	A1	20051110	AU 2005-238276		20050429
				GB 2004-9785	A	20040430
				WO 2005-GB1649	W	20050429
	CA 2565440	A1	20051110	CA 2005-2565440		20050429
				GB 2004-9785	A	20040430
				WO 2005-GB1649	W	20050429
	WO 2005105796	A1	20051110	WO 2005-GB1649		20050429
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,					

LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

GB 2004-9785 A 20040430

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB New crystalline forms of cabergoline are disclosed. Also provided are novel processes for the preparation of cabergoline forms I, II, and VII, and amorphous cabergoline. Thus, cabergoline was dissolved in tert.-Bu Me ether and refluxed to give cabergoline tert.-Bu Me ether solvate form VIII.

IT 81409-90-7, Cabergoline
RL: FMU (Formation, unclassified); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); FORM (Formation, nonpreparative); USES (Uses)
(polymorphs of cabergoline)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2004:1016006 CAPLUS

DN 141:428033

TI Polymorphs of cabergoline

IN Cvak, Ladislav; Bednar, Roman; Sobotik, Roman; Jegorov, Alexandr

PA Ivax Corporation, USA; Ivax Pharmaceuticals S.R.O

SO PCT Int. Appl., 61 pp.
CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

PI	WO 2004101510	A2	20041125	WO 2004-US14367	20040507
	WO 2004101510	A3	20050512		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
	AU 2004238833	A2	20041125	AU 2004-238833	20040507
	AU 2004238833	A1	20041125		
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
				WO 2004-US14367	W 20040507
	CA 2525104	A1	20041125	CA 2004-2525104	20040507
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
				WO 2004-US14367	W 20040507
	US 2005085499	A1	20050421	US 2004-841813	20040507
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
	EP 1620101	A2	20060201	EP 2004-751664	20040507
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
				WO 2004-US14367	W 20040507
	CN 1809358	A	20060726	CN 2004-80017454	20040507
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
				WO 2004-US14367	W 20040507
	JP 2007501274	T	20070125	JP 2006-532868	20040507
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
				WO 2004-US14367	W 20040507
	MX 2005PA11933	A	20060731	MX 2005-PA11933	20051107
				US 2003-468887P	P 20030508
				US 2004-539494P	P 20040127
				WO 2004-US14367	W 20040507

L4 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB The invention provides methods for preparing amorphous phys. form of cabergoline, and solvate form A of cabergoline useful in the preparation of the first mentioned phys. form. A method for treating a prolactin disorder with medicaments prepared from amorphous phys. form of cabergoline and solvate form A of cabergoline is also disclosed.

IT 81409-90-7P, Cabergoline
RL: SPN (Synthetic preparation); PREP (Preparation)
(amorphous; tablets containing cabergoline or its solvate form for treatment of prolactin disorders)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-

[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2004:878162 CAPLUS
DN 141:355382
TI Preparation of cabergoline and its solvate form for treatment of prolactin disorders
IN Gutman, Arie; Tishin, Boris; Vilenski, Alex; Agazade, Albay; Pertzikov, Boris; Nisnevich, Gennady
PA Finetech Laboratories, Ltd., Israel
SO U.S. Pat. Appl. Publ., 20 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US 2004209910	A1	20041021	US 2004-827955	20040420
US 7026483	B2	20060411		
			IL 2003-155545 A	20030421
WO 2004094368	A2	20041104	WO 2004-IB2512	20040420
WO 2004094368	A3	20050519		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
			IL 2003-155545 A	20030421
EP 1620100	A2	20060201	EP 2004-744162	20040420
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
			IL 2003-155545 A	20030421
			WO 2004-IB2512 W	20040420

RE.CNT 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB A process for producing crystalline Form I of cabergoline comprises the preparation of Form V using heptane as precipitation solvent, and its exclusive conversion into crystalline Form I of cabergoline. The present crystallization process from toluene-heptane solvent system for Form V involves 'reverse addition' of toluene-cabergoline concentrate to cold heptane.

IT 81409-90-7, Cabergoline
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(process for preparation of crystalline Form I of cabergoline using toluene-heptane solvent system)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2003:757709 CAPLUS

DN 139:281336

TI Process for preparing crystalline Form I of cabergoline

IN Sheikh, Ahmad Y.; Tomasi, Attilio

PA Pharmacia Corporation, USA; Pharmacia Italia S.P.A.

SO PCT Int. Appl., 23 pp.
CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003078433	A1	20030925	WO 2003-EP2628	20030310

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
CA 2479140	A1	20030925		CA 2003-2479140	20030310
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
AU 2003218753	A1	20030929		AU 2003-218753	20030310
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
EP 1485383	A1	20041215		EP 2003-712002	20030310

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
BR 2003008304	A	20041228		BR 2003-8304	20030310
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
CN 1639160	A	20050713		CN 2003-805277	20030310
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
JP 2005529856	T	20051006		JP 2003-576438	20030310
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
RU 2278118	C2	20060620		RU 2004-127583	20030310
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
CN 101037418	A	20070919		CN 2007-10084348	20030312
				US 2002-364567P	P 20020315
				US 2002-417987P	P 20021011
				CN 2003-806088	A3 20030312
CN 101037419	A	20070919		CN 2007-10084349	20030312
				US 2002-364567P	P 20020315
				US 2002-417987P	P 20021011
				CN 2003-806088	A3 20030312
ZA 2004006588	A	20060628		ZA 2004-6588	20040818
				US 2002-364567P	P 20020315
ZA 2004006946	A	20051005		ZA 2004-6946	20040831
				US 2002-364567P	P 20020315
MX 2004PA08915	A	20050620		MX 2004-PA8915	20040914
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310
US 2006281777	A1	20061214		US 2006-560877	20060717
				US 2002-364567P	P 20020315
				US 2002-410163P	P 20020912
				WO 2003-EP2628	W 20030310

PATENT FAMILY INFORMATION:

FAN 2003:757674

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE

PI WO 2003078392 A2 20030925 WO 2003-US7138 20030310
WO 2003078392 A3 20031211
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
US 2002-364567P P 20020315
US 2002-410253P P 20020912

CA 2478149 A1 20030925 CA 2003-2478149 20030310
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

AU 2003224665 A1 20030929 AU 2003-224665 20030310
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

BR 2003008472 A 20050111 BR 2003-8472 20030310
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

EP 1507777 A2 20050223 EP 2003-721346 20030310
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

JP 2005520831 T 20050714 JP 2003-576398 20030310
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

CN 1642953 A 20050720 CN 2003-806130 20030310
US 2002-364567P P 20020315
US 2002-410253P P 20020912

RU 2277536 C2 20060610 RU 2004-127582 20030310
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

CN 101037418 A 20070919 CN 2007-10084348 20030312
US 2002-364567P P 20020315
US 2002-417987P P 20021011
CN 2003-806088 A3 20030312

CN 101037419 A 20070919 CN 2007-10084349 20030312
US 2002-364567P P 20020315
US 2002-417987P P 20021011
CN 2003-806088 A3 20030312

ZA 2004006588 A 20060628 ZA 2004-6588 20040818
US 2002-364567P P 20020315

ZA 2004006946 A 20051005 ZA 2004-6946 20040831
US 2002-364567P P 20020315

MX 2004PA08935 A 20041126 MX 2004-PA8935 20040914
US 2002-364567P P 20020315
US 2002-410253P P 20020912
WO 2003-US7138 W 20030310

FAN 2003:757687

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	WO 2003078408	A1	20030925	WO 2003-US7484		20030312
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW					
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
	CA 2478500	A1	20030925	CA 2003-2478500		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	AU 2003220180	A1	20030929	AU 2003-220180		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	US 2003232871	A1	20031218	US 2003-387173		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
	EP 1485362	A1	20041215	EP 2003-716476		20030312
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK					
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	BR 2003008431	A	20050118	BR 2003-8431		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	CN 1642926	A	20050720	CN 2003-806088		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
	JP 2005529084	T	20050929	JP 2003-576414		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	NZ 535951	A	20060224	NZ 2003-535951		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	RU 2300529	C2	20070610	RU 2004-127585		20030312
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	CN 101037418	A	20070919	CN 2007-10084348		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				CN 2003-806088	A3	20030312
	CN 101037419	A	20070919	CN 2007-10084349		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				CN 2003-806088	A3	20030312

ZA 2004006588	A	20060628	ZA 2004-6588		20040818
			US 2002-364567P	P	20020315
IN 2004DN02444	A	20070316	IN 2004-DN2444		20040823
			US 2002-364567P	P	20020315
			WO 2003-US7484	W	20030312
ZA 2004006946	A	20051005	ZA 2004-6946		20040831
			US 2002-364567P	P	20020315
MX 2004PA08932	A	20041126	MX 2004-PA8932		20040914
			US 2002-364567P	P	20020315
			US 2002-417987P	P	20021011
			WO 2003-US7484	W	20030312
NO 2004004302	A	20041011	NO 2004-4302		20041011
			US 2002-364567P	P	20020315
			WO 2003-US7484	A	20030312
IN 2006DN07519	A	20070824	IN 2006-DN7519		20061212
			US 2002-364567P	P	20020315
			WO 2003-US7484	W	20030312
			IN 2004-DN2444	A3	20040823

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB A process for producing crystalline form I of cabergoline comprises crystallization of the desired form from a toluene/heptane or toluene/hexane mixture starting from raw cabergoline, followed by recovery and removal of the solvent from the resulting toluene solvate Form X so as to convert it into form I. The solvate form X of cabergoline and its preparation are also provided.

IT 81409-90-7, Cabergoline
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); PROC (Process)
(process for preparing the crystalline form I of cabergoline)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2003:757674 CAPLUS

DN 139:265794

TI Process for preparing the crystalline form I of cabergoline
IN Sheikh, Ahmad Y.
PA Pharmacia Corporation, USA
SO PCT Int. Appl., 17 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	WO 2003078392	A2	20030925	WO 2003-US7138		20030310
	WO 2003078392	A3	20031211			
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW					
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
	CA 2478149	A1	20030925	CA 2003-2478149		20030310
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
				WO 2003-US7138	W	20030310
	AU 2003224665	A1	20030929	AU 2003-224665		20030310
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
				WO 2003-US7138	W	20030310
	BR 2003008472	A	20050111	BR 2003-8472		20030310
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
				WO 2003-US7138	W	20030310
	EP 1507777	A2	20050223	EP 2003-721346		20030310
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK					
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
				WO 2003-US7138	W	20030310
	JP 2005520831	T	20050714	JP 2003-576398		20030310
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
				WO 2003-US7138	W	20030310
	CN 1642953	A	20050720	CN 2003-806130		20030310
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
	RU 2277536	C2	20060610	RU 2004-127582		20030310
				US 2002-364567P	P	20020315
				US 2002-410253P	P	20020912
				WO 2003-US7138	W	20030310
	CN 101037418	A	20070919	CN 2007-10084348		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				CN 2003-806088	A3	20030312
	CN 101037419	A	20070919	CN 2007-10084349		20030312
				US 2002-364567P	P	20020315

				US 2002-417987P	P	20021011
				CN 2003-806088	A3	20030312
ZA 2004006588	A	20060628	ZA 2004-6588			20040818
			US 2002-364567P		P	20020315
ZA 2004006946	A	20051005	ZA 2004-6946			20040831
			US 2002-364567P		P	20020315
MX 2004PA08935	A	20041126	MX 2004-PA8935			20040914
			US 2002-364567P		P	20020315
			US 2002-410253P		P	20020912
			WO 2003-US7138		W	20030310

PATENT FAMILY INFORMATION:

FAN 2003:757687

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	WO 2003078408	A1	20030925	WO 2003-US7484		20030312
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW					
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
	CA 2478500	A1	20030925	CA 2003-2478500		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	AU 2003220180	A1	20030929	AU 2003-220180		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	US 2003232871	A1	20031218	US 2003-387173		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
	EP 1485362	A1	20041215	EP 2003-716476		20030312
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK					
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	BR 2003008431	A	20050118	BR 2003-8431		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	CN 1642926	A	20050720	CN 2003-806088		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
	JP 2005529084	T	20050929	JP 2003-576414		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312
	NZ 535951	A	20060224	NZ 2003-535951		20030312
				US 2002-364567P	P	20020315
				US 2002-417987P	P	20021011
				WO 2003-US7484	W	20030312

RU 2300529	C2	20070610	RU 2004-127585		20030312
			US 2002-417987P	P	20021011
			WO 2003-US7484	W	20030312
CN 101037418	A	20070919	CN 2007-10084348		20030312
			US 2002-364567P	P	20020315
			US 2002-417987P	P	20021011
			CN 2003-806088	A3	20030312
CN 101037419	A	20070919	CN 2007-10084349		20030312
			US 2002-364567P	P	20020315
			US 2002-417987P	P	20021011
			CN 2003-806088	A3	20030312
ZA 2004006588	A	20060628	ZA 2004-6588		20040818
			US 2002-364567P	P	20020315
IN 2004DN02444	A	20070316	IN 2004-DN2444		20040823
			US 2002-364567P	P	20020315
			WO 2003-US7484	W	20030312
ZA 2004006946	A	20051005	ZA 2004-6946		20040831
			US 2002-364567P	P	20020315
MX 2004PA08932	A	20041126	MX 2004-PA8932		20040914
			US 2002-364567P	P	20020315
			US 2002-417987P	P	20021011
			WO 2003-US7484	W	20030312
NO 2004004302	A	20041011	NO 2004-4302		20041011
			US 2002-364567P	P	20020315
			WO 2003-US7484	A	20030312
IN 2006DN07519	A	20070824	IN 2006-DN7519		20061212
			US 2002-364567P	P	20020315
			WO 2003-US7484	W	20030312
			IN 2004-DN2444	A3	20040823

FAN 2003:757709

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI WO 2003078433	A1	20030925	WO 2003-EP2628		20030310
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW					
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
CA 2479140	A1	20030925	CA 2003-2479140		20030310
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310
AU 2003218753	A1	20030929	AU 2003-218753		20030310
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310
EP 1485383	A1	20041215	EP 2003-712002		20030310
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK					
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310

BR 2003008304	A	20041228	BR 2003-8304		20030310
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310
CN 1639160	A	20050713	CN 2003-805277		20030310
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
JP 2005529856	T	20051006	JP 2003-576438		20030310
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310
RU 2278118	C2	20060620	RU 2004-127583		20030310
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310
CN 101037418	A	20070919	CN 2007-10084348		20030312
			US 2002-364567P	P	20020315
			US 2002-417987P	P	20021011
			CN 2003-806088	A3	20030312
CN 101037419	A	20070919	CN 2007-10084349		20030312
			US 2002-364567P	P	20020315
			US 2002-417987P	P	20021011
			CN 2003-806088	A3	20030312
ZA 2004006588	A	20060628	ZA 2004-6588		20040818
			US 2002-364567P	P	20020315
ZA 2004006946	A	20051005	ZA 2004-6946		20040831
			US 2002-364567P	P	20020315
MX 2004PA08915	A	20050620	MX 2004-PA8915		20040914
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310
US 2006281777	A1	20061214	US 2006-560877		20060717
			US 2002-364567P	P	20020315
			US 2002-410163P	P	20020912
			WO 2003-EP2628	W	20030310

L4 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

AB The crystalline form VII of cabergoline, a pharmaceutical composition containing the form and a process for its preparation are disclosed. The process may comprise a slurry procedure by using the form I or mixture of forms I and VII in a solvent at a temperature above 30°. Thus, cabergoline was dissolved in 1,4-dioxane at 40°, the final solution was cooled to -5° and the solid was filtered and dried at 30-65°. The crystals of the form VII were obtained.

IT 81409-90-7, Cabergoline
RL: PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(crystalline form VII of cabergoline)

RN 81409-90-7 CAPLUS

CN Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propen-1-yl)-, (8β)- (CA INDEX NAME)

Absolute stereochemistry.



AN 2001:730739 CAPLUS
DN 135:262284
TI Crystalline form VII of cabergoline
IN Candiani, Ilaria; Budelli, Raffaella; Pandolfi, Marco; Ungari, Mario
PA Pharmacia & Upjohn S.p.A., Italy
SO PCT Int. Appl., 15 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001072746	A1	20011004	WO 2001-EP2969	20010315
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
				GB 2000-7309	A 20000324
	CA 2403557	A1	20011004	CA 2001-2403557	20010315
				GB 2000-7309	A 20000324
				WO 2001-EP2969	W 20010315
	AU 2001052211	A5	20011008	AU 2001-52211	20010315
	AU 780744	B2	20050414		
				GB 2000-7309	A 20000324
				WO 2001-EP2969	W 20010315
	EP 1265894	A1	20021218	EP 2001-925471	20010315
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
				GB 2000-7309	A 20000324
				WO 2001-EP2969	W 20010315
	JP 2003528873	T	20030930	JP 2001-570656	20010315
				GB 2000-7309	A 20000324
				WO 2001-EP2969	W 20010315
	NZ 521317	A	20040625	NZ 2001-521317	20010315
				GB 2000-7309	A 20000324
				WO 2001-EP2969	W 20010315

ZA 2002007296	A	20030911	ZA 2002-7296		20020911
			GB 2000-7309	A	20000324
US 2003144516	A1	20030731	US 2002-221165		20020918
US 6680327	B2	20040120			
			GB 2000-7309	A	20000324
			WO 2001-EP2969	W	20010315

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT